

Deck Description RCC PRESTIGE

Deck Number		Nr. Cars	Height m	Cap. Plan Aera (sqm)	Car Size		T/M2 MT	AXIAL WEIGHT MT/WHEELS
					Length (m)	Breadth (m)		
10		536	2.000	3,969.29	4.125	1.55	0.200	1.5/2
9		527	2.000	3,904.18	4.125	1.55	0.200	1.5/2
8	LIFT	515	2.0/1.8/0	3,644.94	4.125	1.55	0.300	1.5/2
7		445	2.9/3.1/4.9	3,165.33	4.125	1.55	1.000	8.0/2-10.0/4
6	LIFT	467	2/1.8/0	3,321.88	4.125	1.55	0.300	1.5/2
5		433	3.1/3.3/5.1	3,293.75	4.125	1.55	2.000	22.2/2-36.0/4
4		307	2.600	2,219.99	4.125	1.55	0.300	1.5/2
3		283	2.200	2,032.42	4.125	1.55	0.300	1.5/2
2		203	1.800	1,451.69	4.125	1.55	0.300	1.5/2
1		213	1.8	1,561.96	4.125	1.55		1.5/2
TTL	abt	3929	RT-43	31,960.10				

All above figures are about (wog)

RADIO + NAV EQUIPMENT

D.S.A.S./VHF/GMDSS : JRC
 ECDIS : JRC
 GYRO X 2 : YOKOGAWA
 AIS/DGPS X 3 : JRC
 FLEET BROAD BAND : JRC
 VDR : TOTEM
 RADARS X 2 : JRC
 ANEMOMETER : HERIANA
 ECHOSOUNDER : JRC
 CCTV : SEASTEM
 WX FACSIMILE : JRC

COMMUNICATION

MOBILE +30-6970-111411
 E-MAIL Rccprestige@SkyFile.com
 FAX 00870-773188997
 PHONE 00870-773188903
 INMARSAT C 431101253
 INMARSAT C 431101254
 SSAS
 M.M.S.I. NR. 311 048 300

**VESSEL IS CONSUMING MDO FOR MANEUVERING IN PORTS AND APPROACHES.
 NAVIGATION SYSTEM IS INTEGRATED**

Bimagrip surface on external + internal ramps.


Lashing holes dia 60 mm on fixed decks 50 mm on liftable decks

Vessel is equipped with additional fire fighting equipment to enable her carry dangerous goods as per class certificate on board.

2 X deck lifters 25 mt s.w.l. Hi-Chung Owners equipment
 1 x forklift 5 mt Owners equipment
 1 x sweeper Owners equipment

M/S RCC Prestige

Manager : STAMCO SHIP MANAGEMENT PIRAEUS
 Owner : Prestige Ray Ltd.
 Builder : Douglas, Isle of Man
 Built : HMD
 IMO No. : 2011
 Flag : Bahamas
 Port of Reg : Nassau
 Call Sign : C6YX4
 GT : 36,834
 NT : 11,050
 LOA : 168.06
 LBP : 158.00
 BEAM : 28.00
 DEPTH : 30.65
 Main Eng. : Hyundai B+W 7S50-MC-C
 Tel No. : 773186903
 Fax No. : 773186987
 Class : LR



Mobile Phone : 30-6870-111411
 Bow to Bridge front : TBA
 Bow to side gate (S) : TBA
 Bow to Stern gate (S) : TBA
 Keel to Top of mast (tillable) : 8,717
 Draft (summer) : 11,174
 Dead weight : 19.6
 Speed (abt) : 39.29
 Total car capacity (*) : 150
 High car capacity : 217
 Bus : 1190 - small truck
 Dump Truck (**): 28565.43
 Truck capacity (**): -
 Deck area : 8001850
 CKD capacity :
 (*): RT43 (4,125*1,550*1,420m)
 (**): Truck (8,00*2,50*3,00m)

UNLOAD	AX/LOAD	10th
0.200	1.5/2	10th
0.200	1.5/2	9th
0.300	1.5/2	8th
01.00	9.0/2-10.0/4	7th
2.000	22.2/2-36.0/4	6th
0.30	1.5/2	5th
0.30	1.5/2	4th
0.30	1.5/2	3rd
0.30	1.5/2	2nd
0.30	1.5/2	1st

(536) cars	(2.0) m	10th
(527) cars	(2.0) m	9th
(515) cars	2.0/1.8/0 m	8th
(445) cars	2.9/3.1/4.9 m	7th
(467) cars	2/1.8/0 m	6th
(433) cars	3.1/3.3/5.1 m	5th
(307) cars	(2.60) m	4th
(263) cars	(2.20) m	3rd
(203) cars	(1.80) m	2nd
(213) cars	(1.800) m	1st
(3929)		

FO=abt 43.4 M/T
 DO=abt ... M/T